



performance
plus

A COMPLETE WORKPLACE FOR ELECTRIC MOBILITY



E10

117.6155

The special model for electric and hybrid vehicles

E10



Workshop trolley E10 VDE SPEZIAL with 7 drawers

873.0007

► Relaxed working with high voltage

Delivered fully assembled and equipped.

Includes barrier post set, signs and personal protective equipment.



DUO Lock ingenious locking system



7 drawers each of which can carry 50 kg



Stable **ball bearing**



Stainless steel surface



Lockable **lock**



Antistatic castors with brake




Integrated **edge protection**



Paper roll holder included



Can holder included




1176172

M 3/8" + 1/2" insulated socket spanner set with torque wrench in foam insert



568 x 398

Pos.	Item No.	Description	Amount	Pos.	Item No.	Description	Amount	Pos.	Item No.	Description	Amount
1	118.1213	1/2" Insulated socket, 13 mm	1	16	118.1211	1/2" Insulated socket, 11 mm	1	26	118.3813	3/8" Insulated bit socket for Torx, T25, 60 mm	1
2	118.1214	1/2" Insulated socket, 14 mm	1	17	118.1212	1/2" Insulated socket, 12 mm	1	27	118.3814	3/8" Insulated bit socket for Torx, T27, 60 mm	1
3	118.1215	1/2" Insulated socket, 15 mm	1	18	118.3864	3/8" Insulated bit socket for hexagon socket, 4 mm, 60 mm long	1	28	118.3815	3/8" Insulated bit socket for Torx, T30, 60 mm	1
4	118.1216	1/2" Insulated socket, 16 mm	1	19	118.3865	3/8" Insulated bit socket for hexagon socket, 5 mm, 60 mm long	1	29	118.3816	3/8" Insulated bit socket for Torx, T40, 60 mm	1
5	118.1217	1/2" Insulated socket, 17 mm	1	20	118.3866	3/8" Insulated bit socket for hexagon socket, 6 mm, 60 mm long	1	30	118.3817	3/8" Insulated bit socket for Torx, T45, 60 mm	1
6	118.1218	1/2" Insulated socket, 18 mm	1	21	118.3868	3/8" Insulated bit socket for hexagon socket, 8 mm, 60 mm long	1	31	118.3818	3/8" Insulated bit socket for Torx, T50, 60 mm	1
7	118.1219	1/2" Insulated socket, 19 mm	1	22	118.3869	3/8" Insulated bit socket for hexagon socket, 10 mm, 60 mm long	1	32	118.3819	3/8" Insulated bit socket for Torx, T55, 60 mm	1
8	118.1220	1/2" Insulated socket, 20 mm	1	23	118.3810	3/8" Insulated bit socket for Torx, T10, 60 mm	1	33	118.3847	3/8" Insulated socket, 22 mm	1
9	118.1221	1/2" Insulated socket, 21 mm	1	24	118.3811	3/8" Insulated bit socket for Torx, T15, 60 mm	1	34	118.3845	3/8" Insulated socket, 20 mm	1
10	118.1222	1/2" Insulated socket, 22 mm	1	25	118.3812	3/8" Insulated bit socket for Torx, T20, 60 mm	1	35	118.3844	3/8" Insulated socket, 19 mm	1
11	118.1224	1/2" Insulated socket, 24 mm	1					36	118.3843	3/8" Insulated socket, 18 mm	1
12	118.1227	1/2" Insulated socket, 27 mm	1					37	118.3842	3/8" Insulated socket, 17 mm	1
13	118.1230	1/2" Insulated socket, 30 mm	1					38	118.3841	3/8" Insulated socket, 16 mm	1
14	118.1232	1/2" Insulated socket, 32 mm	1					39	118.3839	3/8" Insulated socket, 14 mm	1
15	118.1210	1/2" Insulated socket, 10 mm	1					40	118.3838	3/8" Insulated socket, 13 mm	1




Pos.	Item No.	Description	Amount	Pos.	Item No.	Description	Amount	Pos.	Item No.	Description	Amount
41	118.3837	3/8" Insulated socket, 12 mm	1	52	118.3876	3/8" Insulated bit socket for hexagon socket, 10 mm, 122 mm long	1	63	118.3827	3/8" Insulated bit socket for Torx, T45, 122 mm	1
42	118.3836	3/8" Insulated socket, 11 mm	1	53	118.3893	3/8" Insulated bit socket for spline, M8, insulated	1	64	118.3828	3/8" Insulated bit socket for Torx, T50, 122 mm	1
43	118.3835	3/8" Insulated socket, 10 mm	1	54	118.3894	3/8" Insulated bit socket for spline, M10, insulated	1	65	118.3829	3/8" Insulated bit socket for Torx, T55, 122 mm	1
44	118.3834	3/8" Insulated socket, 9 mm	1	55	118.3895	3/8" Insulated bit socket for spline M12, insulated	1	66	118.1250	1/2" Insulated extension, 250 mm	1
45	118.3833	3/8" Insulated socket, 8 mm	1	56	118.3820	3/8" Insulated bit socket for Torx, T10, 122 mm	1	67	118.3852	3/8" Insulated extension, 250 mm	1
46	118.3832	3/8" Insulated socket, 7 mm	1	57	118.3821	3/8" Insulated bit socket for Torx, T15, 122 mm	1	68	118.3851	3/8" Insulated extension, 150 mm	1
47	118.3831	3/8" Insulated socket, 6 mm	1	58	118.3822	3/8" Insulated bit socket for Torx, T20, 122 mm	1	69	118.3800	3/8" Insulated reversible ratchet, 72-teeth	1
48	118.3871	3/8" Insulated bit socket for hexagon socket, 4 mm, 122 mm long	1	59	118.3823	3/8" Insulated bit socket for Torx, T25, 122 mm	1	70	118.1290	1/2" Insulated reversible ratchet, 32-teeth	1
49	118.3872	3/8" Insulated bit socket for hexagon socket, 5 mm, 122 mm long	1	60	118.3824	3/8" Insulated bit socket for Torx, T27, 122 mm	1	71	118.1225	1/2" Insulated extension, 125 mm	1
50	118.3873	3/8" Insulated bit socket for hexagon socket, 6 mm, 122 mm long	1	61	118.3825	3/8" Insulated bit socket for Torx, T30, 122 mm	1	72	118.3850	3/8" Insulated torque wrench, 5 - 50 Nm	1
51	118.3874	3/8" Insulated bit socket for hexagon socket, 8 mm, 122 mm long	1	62	118.3826	3/8" Insulated bit socket for Torx, T40, 122 mm	1				

1176133


M Insulated spanner set in foam insert in foam insert



568 x 398



Pos.	Item No.	Description	Amount
1	118.1511	Insulated open-ended spanner, 11 mm	1
2	118.1512	Insulated open-ended spanner, 12 mm	1
3	118.1513	Insulated open-ended spanner, 13 mm	1
4	118.1514	Insulated open-ended spanner, 14 mm	1
5	118.1515	Insulated open-ended spanner, 15 mm	1
6	118.1516	Insulated open-ended spanner, 16 mm	1
7	118.1517	Insulated open-ended spanner, 17 mm	1
8	118.1518	Insulated open-ended spanner, 18 mm	1
9	118.1519	Insulated open-ended spanner, 19 mm	1
10	118.1520	Insulated open-ended spanner, 20 mm	1
11	118.1521	Insulated open-ended spanner, 21 mm	1
12	118.1522	Insulated open-ended spanner, 22 mm	1
13	118.1523	Insulated open-ended spanner, 23 mm	1
14	118.1524	Insulated open-ended spanner, 24 mm	1
15	118.1309	Insulated ring spanner, offset, 9 mm	1
16	118.1308	Insulated ring spanner, offset, 8 mm	1
17	118.1307	Insulated ring spanner, offset, 7 mm	1
18	118.1510	Insulated open-ended spanner, 10 mm	1
19	118.1509	Insulated open-ended spanner, 9 mm	1
20	118.1508	Insulated open-ended spanner, 8 mm	1
21	118.1507	Insulated open-ended spanner, 7 mm	1
22	118.1310	Insulated ring spanner, offset, 10 mm	1
23	118.1311	Insulated ring spanner, offset, 11 mm	1
24	118.1312	Insulated ring spanner, offset, 12 mm	1
25	118.1313	Insulated ring spanner, offset, 13 mm	1
26	118.1314	Insulated ring spanner, offset, 14 mm	1
27	118.1315	Insulated ring spanner, offset, 15 mm	1
28	118.1316	Insulated ring spanner, offset, 16 mm	1
29	118.1317	Insulated ring spanner, offset, 17 mm	1
30	118.1318	Insulated ring spanner, offset, 18 mm	1
31	118.1319	Insulated ring spanner, offset, 19 mm	1
32	118.1322	Insulated ring spanner, offset, 22 mm	1
33	118.1324	Insulated ring spanner, offset, 24 mm	1





1176121

M ERGOTORQUE VDE screwdriver set in foam insert



568 x 398




Pos.	Item No.	Description	Amount
1	117.2237	Insulated screwdriver for internal Torx screws, T7	1
2	117.2238	Insulated screwdriver for internal Torx screws, T8	1
3	117.2239	Insulated screwdriver for internal Torx screws, T9	1
4	117.0551	Insulated screwdriver for internal Torx screws, T10	1
5	117.0552	Insulated screwdriver for internal Torx screws, T15	1
6	117.0553	Insulated screwdriver for internal Torx screws, T20	1
7	117.0554	Insulated screwdriver for internal Torx screws, T25	1
8	117.0555	Insulated screwdriver for internal Torx screws, T27	1
9	117.0556	Insulated screwdriver for internal Torx screws, T30	1
10	117.0557	Insulated screwdriver for internal Torx screws, T40	1
11	117.0558	Insulated screwdriver for internal Torx screws, T45	1
12	117.2235	Insulated screwdriver for internal Torx screws, T5	1
13	117.2236	Insulated screwdriver for internal Torx screws, T6	1
14	117.0506	ERGOTORQUE VDE Slot screwdriver, 3,5 mm	1
15	117.0508	ERGOTORQUE VDE Slot screwdriver, 4 mm	1
16	117.0512	ERGOTORQUE VDE Slot screwdriver, 5,5 mm	1
17	117.0514	ERGOTORQUE VDE Slot screwdriver, 6,5 mm	1
18	117.0524	ERGOTORQUE VDE PHILLIPS screwdriver, PH1	1
19	117.0526	ERGOTORQUE VDE PHILLIPS screwdriver, PH2	1
20	117.0534	ERGOTORQUE VDE POZIDRIVE screwdriver, PZ1	1
21	117.0536	ERGOTORQUE VDE POZIDRIVE screwdriver, PZ2	1

1176117

M ERGOTORQUE VDE pliers set in foam insert



568 x 398



Pos.	Item No.	Description	Amount
1	118.4235	Insulated protective sleeve with clamp cap, 10 mm, L=100 mm	1
2	118.4237	Insulated protective sleeve with clamp cap, 25 mm, L=100 mm	1
3	117.1630	Inspection mirror with protective insulation, 22 mm, 175 mm	1
4	117.1123	ERGOTORQUE VDE cable cutter, 215 mm	1
5	117.1118	ERGOTORQUE VDE long nose pliers, straight, 215 mm	1
6	117.1119	ERGOTORQUE VDE diagonal side cutter, 160 mm	1
7	117.1644	Plastic flat nose pliers with protective insulation, large, 160 mm	1
8	117.1643	Plastic flat nose pliers with protective insulation, small, 80 mm	1
9	117.2322	Flexible solenoid lifter with protective insulation, 250 g	1
10	117.2000	ERGOTORQUE VDE water pump pliers, 240 mm	1
11	117.1114	ERGOTORQUE VDE wire stripper, 160 mm	1
12	117.1111	ERGOTORQUE VDE combination pliers, 170 mm	1
13	117.1115	ERGOTORQUE VDE diagonal side cutter, 190 mm	1
14	118.1394	Insulated cutting knife, 180 mm	1
15	117.1126	Soft-head hammer with protective insulation, head Ø 25 mm	1
16	117.4267	Plastic expansion wedge, 160 mm	1
17	117.1503	Tension tester with protection insulation two-pole 12-1000 V	1

117.6104

M System insert for personal protective equipment



117.6108

M System insert for workplace protection



117.1550

Set of bollards with chain, 13 pcs

- Ideal for cordoning off areas with restricted access
- the base can be filled with sand for safe standing
- Barrier post height approx. 850 mm with 4 eyes for hanging the chain
- Including base, hook and 20 m chain
- Made from plastic

